THE DANGED SHATES OF ANTERION

TO ALL TO WHOM THESE PRESENTS SHAML COME:

Northrup King Co.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(6) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Lighteen NEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S31-33'

In Sestimony Wathercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, V. C. this 30th day of September in the year of our Lord one thousand nine hundred and ninety-one.

South of Systemian dig on

Attack

Kommissioner

Grant Variety Production Office

Agaicultural Marketing Service

U.S. DEPARTMENT O	DE AGRICULT	URE	FORM APPROVE	D: OMB NO. 0581-0055		
AGRICULTURAL MAI			Application is required in order to determine			
ADDITION FOR DI ANT MARIE	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is					
APPLICATION FOR PLANT VARIE (Instructions		CHON CERTIFICATE	held confidential (7 U.S.C. 2426).	until certificate is issued		
1. NAME OF APPLICANT(S)	•	2. TEMPORARY DESIGNATION	3. VARIETY NA	ME		
Northrup King Co.		X8832, W318303	S31-33			
4. ADDRESS (Street and No. or R.F.D. No., City, State	, and Zip Code)	5. PHONE (Include area code)	<u> </u>	CIAL USE ONLY		
P. O. Box 959			PVPO NUMBER			
Minneapolis, MN 55440		612-593-7333	89(00214		
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)	PATE			
Glycine max	Legumi	nosae	MAY!	3/187 		
			1 2:00	A.M. P.M.		
8. KIND NAME	9.	DATE OF DETERMINATION	AMOUNT	FOR FILING		
Soybean	7 1 1 1 L	January, 1987	a s 1997]		
		e e	STEENED STEENE	151989; May 22,		
10. IF THE APPLICANT NAMED IS NOT A "PERSON	" GIVE FORM	OF ORGANIZATION (Corporation	AMOUNT	FOR CERTIFICATE		
partnership, association, etc.)			S S S S	50		
Corporation () () () () () () () () () (ust 26,1991		
11. IF INCORPORATED, GIVE STATE OF INCORPOR	RATION		12, DATE OF IN	CORPORATION		
Delaware			1976			
13. NAME AND ADDRESS OF APPLICANT REPRESE	NTATIVE(S),	IF ANY, TO SERVE IN THIS APPLI	CATION AND REC	EIVE ALL PAPERS		
Robert W. Romig						
Northrup King Co.						
P. O. Box 959	· ·	PHONE (Include at	ea code): 612-5	93-7305		
Minneapolis, MN 55440 14. CHECK APPROPRIATE BOX FOR EACH ATTACK	MENT SURMI	TTED				
a. Exhibit A, Origin and Breeding History of t			otection Act.)	•		
b. A Exhibit B, Novelty Statement.						
c. 🛭 Exhibit C, Objective Description of Variety	(Request form	from Plant Variety Protection Offi	ce.)			
d. 🗵 Exhibit D, Additional Description of Variet	y.					
e. 🗵 Exhibit E, Statement of the Basis of Applic				so or centicien		
15. DOES THE APPLICANT(S) SPECIFY THAT SEED SEED? (See Section 83(a) of the Plant Variety Proteins		IETY BE SOLD BY VARIETY NAM Yes (If "Yes," answer				
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH CLASSES C	F PRODUCTION		
Yes No		Foundation	Registered	Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE F	OR PROTECT	TON OF THE VARIETY IN THE L	i.s.?	Yes (If "Yes," give date)		
				A1 -		
			х	No		
19. HAS THE VARIETY BEEN RELEASED, OFFERE	ED FOR SALE	, OR MARKETED IN THE U.S. OF	OTHER COUNTS	RIES ? Yes (If "Yes," give names		
				of countries and dates)		
			x	No		
20. The applicant(s) declare(s) that a viable sample plenished upon request in accordance with suc			d with the applica	tion and will be re-		
The undersigned applicant(s) is (are) the owner	r(s) of this se	xually reproduced novel plant va	riety, and believe	(s) that the variety is		
distinct, uniform, and stable as required in Sec Variety Protection Act.	ction 41, and	is entitled to protection under the	e provisions of Se	ection 42 of the Plant		
Applicant(s) is (are) informed that false repres	entation here	in can jeopardize protection and		s.		
SIGNATURE OF APPLICANT			DATE	1000		
Hobert M. Moon	u	•	May 11,	, 1989		
SIGNATURE OF APPLICANT			DATE			

EXHIBIT A

Origin and Breeding History of the Variety

- 1977-80 The Northrup King soybean research group at Washington, Iowa made a series of crosses and intercrosses involving germplasm with resistance to cyst nematode. The sequence of crossing in the population designated WX1922 is as follows:
 - 1977. Made cross designated WX1334 = 'A1564' x 'Mack'
 - 1978. Made cross designated WX1488 = WX1334 F₃ x *Bedford*
 - 1979. Made cross designated WX1738 = WX1488 F_3 x Bedford.
 - 1980. Made cross designated WX1922 = WX1738 F₃ x L77-994 L77-994 is a germplasm release which was the progenitor of the variety 'Fayette'.
- 1980-82 The population designated WX1922 was advanced to F₆. In October, 1982, we selected 100 plants of Group IV or earlier maturity and threshed them individually.
- 1983 We grew each of the 100 plant selections in an F_7 progeny row. One of these, numbered W318303, was selected on the basis of agronomic appearance to be tested in a preliminary yield trial. This line was subsequently named S31-33.
- 1984-85 We tested S31-33 in replicated yield trials at several midwestern locations and found it to yield acceptably in comparison to other early Group III varieties. We tested it for cyst nematode resistance in the greenhouse at Bolivar, TN and Stanton, MN, and in the field on infested soil near Conesville, Iowa. We identified and confirmed the descriptive characteristics white flowers, tawny pubescence, tan pods, black hila, and shiny seed coat luster.

In the winter of 1985-86 we initiated seed increase from approximately 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times.

1986-88 - We continued to test S31-33 in advanced yield trials to confirm descriptive characteristics and performance. We confirmed resistance to cyst nematode on infested soils near Conesville, Iowa and St. Joseph, Illinois. We also sent samples to Dr. Lawrence Young, USDA Nematology Laboratory, Jackson, TN who verified that S31-33 is resistant to Races 3 and 4.

We grew Breeder Seed of S31-33 in 1986 from the initial increase grown the previous winter. The field was rogued several times. We also grew 100 progeny rows to monitor within line variability and to Produce Pedigree Seed. The variety was uniform. We produced Breeder Seed again in 1987 and Foundation Seed in 1988. The Iowa Crop Improvement Association inspected the Foundation field and

found it to meet the requirements for Foundation Seed. The National Soybean Variety Review Board approved S31-33 for Certification on December 8, 1988.

S31-33 is a stable and uniform soybean variety. It may contain up to 2% seed with hilum color other than black. In 6 years of testing and four cycles of seed increase, we have observed no other variants except minor environmentally induced variation normally encountered in a soybean variety.

We will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S31-33 is most similar to A3307 and Pella. It can differentiated from Pella on the basis of flower color. S31-33 has white flowers while Pella has purple flowers. It can be differentiated from A3307 on the basis of plant height. S31-33 is approximately 14 cm shorter than A3307.

Data demonstrating plant height difference between S31-33 and A3307.

Plant Height, cm									
<u>Variety</u>	<u>Average</u>	Was	shington,	lowa	St. Joseph, Illinois				
		<u>1986</u>	<u> 1987</u>	<u>1988</u>	<u>1986</u>	1987	1988		
S31-33	93	103	104	85	97	89	82		
A3307	107	110	109	100	119	102	101		
LSD	6	7	6	9	6	6	9		

S31-33 is also similar to the varieties 3081, 4280, 9361, A4268, B335, CX 380, Moore 4650, S435, SS 391, SS 443 and Williams. It can be differentiated from all these varieties on the basis of resistance to cyst nematode (*Heterodera glycines*). S31-33 is resistant to Race 3 of cyst nematode while all of the other varieties listed are susceptible.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

3076	EAN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	X8832, W318303	S31-33
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip of Northrup King Co. Attention:	the state of the s	FOR OFFICIAL USE ONLY
Northrup King Co. Attention: P. O. Box 959	R.W. Romig	PVPO NUMBER
Minneapolis, MN 55440		8900214
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide Starred characters * are considered fundamental to an adwhen information is available.	ed, place a zero in the first box	when number is 9 or less (e.g., 0 9).
1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	रू कुल्ला । सुर्वित् Elongate Flattened	l (L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 ≈ Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	e de region de la	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne	bsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 5 Grams per 100 seeds Compared to P	ella at 17.	
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown May contain up to 2% other hill		ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		en e
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		en e
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 = Type B (SP1 ^b)	and the second s	en e
9. HYPOCOTYŁ COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifoliate leaves ('Hodgson	ith bronze band below cotyledons (') '; 'Coker Hampton 266A')	'Woodworth'; 'Tracy')
IO. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovat	9 4 = Other (Specify)	

11.	LEA	FLET SIZE:					
ignoria de la compansión de la compansió	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Mediu	m ('Corsoy 79'; 'Gasoy 17')		e transferiore we experience where
		ting the second of the second		and the company of th	a sample same	ent a State of the	and the same of the same
12.	LEAF	COLOR:					
· .	2	1 = Light Green ('Weber'; 'York')	2 = Mediu	m Green ('Corsoy 79'; 'Bra		e f	
es es es	L=	3 = Dark Green ('Gnome'; 'Tracy')		etica i gres e e e e e e e e e			Control of the Contro
13.	FLOV	VER COLOR:			e e e e e e e e e e e e e e e e e e e		
	1	1 = White 2 = Purple	3 = White witi	o purple throat		months of the same of the	managa a sa
14,	POD (COLOR:					
	1	1 = Tan 2 = Brown	3 = Black	e e e e e e e e e e e e e e e e e e e		en e	in enablaserial edge e
15.	PLAN	T PUBESCENCE COLOR:					
	2	1'= Gray 2 = Brown (Tawny)		sanggan sa sanggan sa sa sa sa sa sa sa sa	total construction generalises	et de kriste i kaj kaj litera.	Anti-energy (Angleseklapa)
16	ΡΙΔΝ	T TYPES:	1. 1			· · · · · · · · · · · · · · · · · · ·	en en grande en
, v		1 = Slender ('Essex'; 'Amsoy 71')					
	[2]	3 = Bushy ('Gnome'; 'Govan')	Z = Interme	ediate ('Amcor'; 'Braxton')	the section of the section of		. We version meets
17.	PLAN	T HABIT:					
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelic	2 = Semi-De an')	eterminate ('Will')	· · · · · · · · · · · · · · · · · · ·		
18. r	6	RITY GROUP: 1 = 000	4=I 12=IX	5 = II 6 = III 13 = X	7 = IV	8 = V	en e
19. E		SE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES:	sceptible; 2 = Resi	stant), is the engineering of the	Taring Pilipin Mengelah Managan	. Berling in the second of the	
*			:	\$1.5 P. C.			
^. ∡. İ		Bacterial Pustule (Xanthomonas phaseoli var.	sojensis)	Andrew Control of the			
*		Bacterial Blight (Pseudomonas glycinea)	The second of th	ik Dan salah kepada dan kecamatan kepada dan kecamatan kepada dan kecamatan kepada dan kecamatan kepada dan ke Kepada dan kecamatan kepada dan kecamatan kepada dan kecamatan kepada dan kecamatan kepada dan kecamatan kepad			Frank State Comment
*		Wildfire (Pseudomonas tabaci)		gorenes de la la companya de la comp	to gradient de la Romania		
F	UNGA	L DISEASES:	the transfer of the terms	er og Mengalen og skriver			
*	1	Brown Spot (Septoria glycines)			- W -		en e
		Frogeye Leaf Spot (Cercospora sojina)					
* [Race 1 Race 2 Race	3 Ra	ce 4 Race 5	Other	(Specify)	ang ti Kanada ang kanada ang Kanada ang kanada ang
Į	_	Target Spot (Corynespora cassiicola)			~~~~		
ļ		Downy Mildew (Peronospora trifoliorum var. r	manshurica)	en transporter i de la companya de La companya de la co			
Ī		Powdery Mildew (Microsphaera diffusa)					
<u>*</u> [1	Brown Stem Rot (Cephalosporium gregatum)		ing a specific to the specific			
		Stem Canker (Diaporthe phaseolorum var. caul	livora)				The Association

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)											
	FUNGAL DISE	ASES: (Continued)									
*	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)										
	l Purple Se	ed Stain <i>(Cercospora kikuchii)</i>									
	Rhizocto	nia Root Rot <i>(Rhizoctonia solani)</i>									
	Phytopht	hora Rot <i>(Phytophthora megasperma</i> var. <i>sojae)</i>									
*	1 Race 1	1 Race 2 1 Race 3 1	Race 4 1 Race 5	1 Race 6 1 Race 7							
	I Race 8	1 Race 9 Other (Specify)									
·	VIRAL DISEAS										
	1 Bud Bligh	t (Tobacco Ringspot Virus)									
	Bud Blight (Tobacco Ringspot Virus) Yellow Mosaic (Bean Yellow Mosaic Virus)										
* [
		losaic (Cowpea Chlorotic Virus)									
	-	e (Bean Pod Mottle Virus)									
× [tle (Soybean Mosaic Virus)									
	NEMATODE DI	SEASES:									
, г	Soybean (Cyst Nematode (Heterodera glycines)	,								
* [Race 1	Race 2 2 Race 3 2	Race 4 Other (Sp	ecify)							
Ĺ	Lance Nematode (Hopiolaimus Colombus)										
Southern Root Knot Nematode (Meloidogyne incognita)											
Northern Root Knot Nematode (Meloidogyne Hapla)											
ſ	Peanut Ro	ot Knot Nematode (Meloidogyne arenaria)	•								
Ī	Reniform	Nematode (Rotylenchulus reniformis)	· ,								
OTHER DISEASE NOT ON FORM (Specify):											
Ļ.											
	YSIOLOGICAL I	RESPONSES: (Enter 0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)								
* [Iron Chlore	osis on Calcareous Soil (Moderately su	sceptible)								
L	Other (Spe	cify)	्रा अस्तर । १ वर्षा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट्रा स्टब्स्ट								
21. INS	ECT REACTION	V: (Enter 0 = Not Tested: 1 = Susceptible: 2 = B	(Acietant)	n serial de la companya de la compa							
- <u> </u>	Mexican Be	ean Beetle (Epilachna varivestis)		e del cuerto de la companya de la c En companya de la co							
L	Potato Lea	f Hopper (Empoasca fabae)	n de la companya de La companya de la co								
	Other (Spec										
22. IND	ICATE WHICH	VARIETY MOST CLOSELY RESEMBLES THA	AT SUBMITTED.								
	HARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY							
Plan	t Shape	Pella 86	Seed Coat Luster	Fayette							
Leaf	Shape	S30-31	Seed Size	S34-19							
Leaf	Color		Seed Shape	Fayette							
Leaf	Size	S29-20	Seedling Pigmentation	A3307							
81-07	44 - 4 - 4 - 4 - 4 - 1 - 1 - 1	A CARREST AND COME OF A VISION CONTRA	y and a specific at the second great								

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
i i i i i i i i i i i i i i i i i i i	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Qil	SEEDS	POD
Submitted	120	2.3	93	5.4	10.3	41.2	20.0	15.0	2-3
Pella* Name of Similar Variety	119	2.3	100	6.1	10.6	39.8	21.4	16.8	2–3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

*Pella 86 in 1988, Pella in 1986 and 1987.



EXHIBIT D

Additional Description of the Variety

Soybean variety S31-33 is an early Group III maturing one day later than Pella. It has normal tolerance to metribuzin herbicide.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S31-33 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.